IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of: Chiaur et al.

Serial No.: 10/652,928

Filed: August 28, 2003

For: METHODS TO IDENTIFY COMPOUNDS USEFUL FOR THE TREATMENT OF

PROLIFERATIVE AND DIFFERENTIATIVE

DISORDERS



Confirmation No.: 5264

Art Unit: 1656

Examiner: David J. Steadman

Attorney Docket No:

5914-099-999

CAM No.:

007402-999098

INFORMATION DISCLOSURE STATEMENT

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

In accordance with the duty of disclosure provisions of 37 C.F.R. §1.56, there is hereby provided certain information which the Examiner may consider material to the examination of the subject U.S. patent application. It is requested that the Examiner make this information of record if it is deemed material to the examination of the application.

Enclosures accompanying this Information Disclosure Statement are: (i) a Substitute For Form 1449/PTO, entitled "Information Disclosure Statement By Applicant" listing References AO1-A04, B01-B08 and C01-C106; and (ii) a copy of References C62-C106.

This application is a continuation-in-part application under 37 C.F.R. §1.53(b) of Application No. 09/385,219, filed August 27, 1999, now Patent No. 6,720,181. References A01-A04, B01-B08 and C01-C61 were previously submitted and/or cited in prior Application No. 09/385,219, filed August 27, 1999, now Patent No. 6,720,181. Therefore, copies of these references are not being submitted pursuant to 37 C.F.R. §1.98(d), unless required by the Examiner.

This Information Disclosure Statement is filed under 37 C.F.R. §1.97(c) after the period specified in 37 C.F.R §1.97(b), but before the mailing date of a final action under 37 C.F.R. §1.113, a notice of allowance under 37 C.F.R. §1.311 or an action that otherwise

closes prosecution in the application.. Please charge the \$180.00 fee set forth in 37 C.F.R. §1.17(p) in accordance with 37 C.F.R. §1.97(c) and any other fee that may be charged in connection with the submission of this Information Disclosure Statement to Jones Day Deposit Account No. 50-3013. A copy of this paper is enclosed for accounting purposes.

No admission is made that the information cited in this Statement is, or is considered to be, material to patentability and no representation is made that a search has been made. 37 C.F.R. §§1.97(g) and (h).

Date:

February 8, 2007

Respectfully submitted,

Laura A. Coruzzi

30,742

Reg. No.

By: Januaria Bonn

45,492

JONES DAY

222 East 41st Street

New York, N.Y. 10017-6702

212-326-3939

Enclosures

Sheet 1 of 7

	ATTY. DOCKET NO.	APPLICATION NO.
TIRE	5914-099-999	10/652,928
LIST OF REFERENCES CITED BY APPLICANT	APPLICANT	
(Use several sheets if necessary)	Chiaur et al.	
FFR 0 8 2007	FILING DATE	ART UNIT
The second secon	August 28, 2003	1656
2001-100 A		

	T				Pages, Columns, Lines, Wh	ore
		Name of Patentee or Applicant of Cited Document	Relevant Passages or Relevant Passages Appear			
	A01	4,873,191	10/ 0/1989	Wagner et al.		
	A02	5,093,246	03/03/1992	Cech et al.		
	À03	5,519,003	05/21/1996	Mochly-Rosen et al.		
	A04	5,981,702	11/9/1999	Zhang et al.		
	1		PATI	ENT DOCUMENTS		
Examiner Initials	-	Foreign Patent Document Country Code, Number, Kind Code (if known)	Date Mm/dd/yyyy	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	,
· -	B01	WO 89/10134	04/25/1989	The Regents of the University of California		
	B02	WO 95/021252	08/10/1995	The Board of Trustees of the Leland Stanford Junior University		
	B03	WO 97/011176	03/27/1997	Cold Spring Harbor Laboratory et al.		
	B04	WO 99/031252	06/24/1999	Incyte Pharmaceuticals, Inc.		
	B05	WO 99/018989	04/22/1999	Baylor College of Medicine		
	B06	WO 99/038969	08/05/1999	Institut National dela Sante Et de la Recherche Medicale		
	B07	WO 00/022110	04/20/2000	President and Fellows of Harvard College		
	B08	WO 00/034447	06/15/2000	Signal Pharmaceuticals, Inc. et al.		
		NO	N PATENT	LITERATURE DOCUMENTS		
Examiner Initials		serial, symposium, catalog	, etc.), date, page	ETTERS), (when appropriate), title of the iten (s), volume-issue number(s), publisher, city and	n (book, magazine, journal, l/or country where published.	Т
C01 AUFFRAY et al., 1994, EST Database Accession No. Z43904						

Initials	1	serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T
	C01	AUFFRAY et al., 1994, EST Database Accession No. Z43904	
	C02	BAI et al., 1996, "SKP1 connects cell cycle regulators to the ubiquitin proteolysis machinery through a novel motif, the F-box," Cell 86:263-274	
	C03	CARRANO et al., 1999, "SKP2 is required for ubiquitin-mediated degradation of the CDK inhibitor p27," Nature Cell Biol. 1:193	
<u> </u>			

DATE CONSIDERED

Sheet 2 of 7

	ATTY. DOCKET NO.	APPLICATION NO.
SIPE	5914-099-999	10/652,928
LIST OF REFERENCES CITED BY APPLICANT 4	APPLICANT	
(Use several sheets if necessary) FFR 0 8 7007	Chiaur et al.	
الع المال	FILING DATE	ART UNIT
A CONTRACTOR OF THE CONTRACTOR	August 28, 2003	1656

*Examiner Initials		Document Number	Date Mm/dd/yyyy	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	C04	CENCIARELLI et al., 1	999, "Identifica	tion of a family of human F-box proteins,"	Curr. Biol. 9:1177-1179
	CO5 CHIAUR et al., 2000, "Five human genes encoding F-box proteins: chromosome mapping and analysis in human tumors," Cytogenet. Cell Genet. 88(3-4):255-8				
	C06	6 CIECHANOVER, 1994, "The ubiquitin-proteasome proteolytic pathway," Cell 79:13-21			
	CO7 CIECHANOVER, 1998, "The ubiquitin-proteasome pathway: on protein death and cell life," EMBO J. 17:7151				
	C08			transgenic technology," Mol. Biotechnol.	
	C09 DESHAIES, 1999, "SCF and Cullin/Ring H2-based ubiquitin ligases, " Ann. Rev. Cell Dev. Biol. 15:435-67			Cell Dev. Biol.	
	C10 ESPOSITO et al., 1997, "Prognostic role of the cell cycle inhibitor p27 in non-small cell lung cancer," Cancer Research 57:3381-3385			ill cell lung cancer,"	
	C11 GONEN et al., 1999, "Identification of the ubiquitin-carrier proteins, E2s, involved in signal-induced degradation of IκBα," J. Biol. Chem. 274:14823-14830			d in signal-induced	
	C12 HAMMER et al., 1990, "Spontaneous inflammatory disease in transgenic rats expressing HLA-B27 and human beta 2m: an animal model of HLA-B27-associated human disorders," Cell. 63(5):1099-112				
	C13 HAWKINS et al., 1997, Genbank Accession No. AC001226				
	C14 HOCHSTRASSER, 1995, "Ubiquitin, proteasomes, and the regulation of intracellular protein degradation," Curr. Op. Cell Biol. 7:215-223			ular protein degradation,"	
	C15 HUNTER et al., 1994, "Cyclins and cancer. II: Cyclin D and CDK inhibitors come of age," Cell 79:573			e of age," Cell 79:573	
	C16 JIANG et al., 1998, "Regulation of the Hedgehog and Wingless signalling pathways by the F-box/WD40-repeat protein Slimb," Nature 29:391:493-496			ys by the F-box/WD40-	
	C17	KAISER et al., 1998, "inhibitory kinase Swe1,		-box protein Met30 are required for degrad 2(16):2587-2597	ation of the Cdk-
	C18	KEYOMARSI et al., 19	995, "Deregulati	on of cyclin E in breast cancer," Oncogene	11:941-950
	KIPREOS et al., 1996, "cul-1 is required for cell cycle exit in C. elegans and identifies a novel gene family," Cell 85:829			ifies a novel gene	
	C20 KLOCKARS et al., 2000, Genbank Accession No. AF126028				
	C21	proteins," Science 252:	668-674	nains: elements that control interactions of	
	C22	KOEPP et al., 1999, "H 97:431-433	low the cyclin b	ecame a cyclin: regulated proteolysis in the	e cell cycle, " Cell
	C23	LANDSCHULTZ et al DNA binding proteins,	., 1988, "The leu " Science 240:17	icine zipper: a hypothetical structure comm	on to a new class of

EXAMINER DATE CONSIDERED	EXAMINER	DATE CONSIDERED
--------------------------	----------	-----------------

Sheet 3 of 7

LIST OF REFERENCES CITED BY APP (Use several sheets if necessary)		ر برق ا . برق
	MADISM	N. S.

ATTY. DOCKET NO.	APPLICATION NO.
5914-099-999	10/652,928
APPLICANT	
Chiaur et al.	
FILING DATE	ART UNIT
August 28, 2003	1656

*Examiner Initials	als Document Number Mm/dd/yyyy of Cited Document Figure					
	C24	98:2515-2520		c protein Skp2 in lymphomagenesis," Pro		
	C25	the stability of β-cateni	n," Oncogene 18:		· .	
	C26	human cancers," Am. J	. Pathol. 154:313			
	C27 LODA et al., 1997, "Increased proteasome-dependent degradation of the cyclin-dependent kinase inhibitor p27 in aggressive colorectal carcinomas," Nature Medicine 3:231-234			ependent kinase inhibitor		
	C28			an evolutionarily conserved ubiquitin lig Acad. Sci. USA 95:7451-7476	ase complex (SCF) with	
	C29 MARGOTTIN et al., 1998, "A novel human WD protein, h-beta TrCp, that interacts with HIV-1 Vpu connects CD4 to the ER degradation pathway through an F-box motif," Molecular Cell 1:565-574 C30 MARIKAWA et al., 1998, "β-TrCP is a negative regulator of Wnt/β-catenin signaling pathway and dorsal axis formation in Xenopus embryos," Mech. Dev. 77(1):75-80					
					aling pathway and dorsal	
	C31 MONTAGNOLI et al., 1999, "Ubiquitination of p27 is regulated by Cdk-dependent phosphorylation and trimeric complex formation," Genes and Dev. 13:1181			ent phosphorylation and		
	C32 MULLINS et al., 1993, "Transgenesis in nonmurine species," Hypertension 22(4):630-3 C33 NEER et al., 1994, "The ancient regulatory-protein family of WD-repeat proteins," Nature 371:297-300):630-3		
				," Nature 371:297-300		
	C34	OHTSUBO et al., 1995 Biol. 15:2612-2624	, "Human cyclin	E, a nuclear protein essential for the G ₁ -t	o-S phase transition," Cell	
	C35	PAGANO et al., 1992, Science 255:1144-114		cdk2 kinase with the transcription factor E	E2F during S phase,"	
	C36	PAGANO et al., 1992, 11(3):961-971	"Cyclin A is requ	aired at two points in the human cell cycle	e," EMBO J.:	
	C37	PAGANO et al., 1995, cyclin-dependent kinas		uitin-proteasome pathway in regulating a Science 269:682-685	bundance of the	
	C38	PAGANO, 1993, "Reg Cell Bio. 121:101-111	ulation of the cell	cycle by the cdk2 protein kinase in culture	red human fibroblasts," J.	
	C39	PAGANO, 1995, "From Spring-Verlag, pp. 217		d antibody," in Cell Cycle: Materials and	Methods, M. Pagano, ed.,	
	C40	PAGANO, 1997, "Cell	cycle regulation	by the ubiquitin pathway," FASEB J. 11:	1067-1075	
	C41	PATTON et al., 1998, hypothesis," Trends Go		ontrol in ubiquitin-dependent proteolysis: 43	don't Skp the F-box	
	C42	PEIFER, 1997, "β-cate	nin as oncogene:	the smoking gun," Science 275:1752-175	53	

EXAMINER	DATE CONSIDERED
*FX AMINER: Initial if reference considered, whether or not citation is in	n conformance with MPFP 609. Draw line through citation if not in

conformance and not considered. Include copy of this form with next communication to applicant.

Sheet 4 of 7

	ATTY. DOCKET NO. 5914-099-999	APPLICATION NO. 10/652,928	
LIST OF REFERENCES CITED BY APPLICANT (Use several sheets if necessary)	APPLICANT Chiaur et al.		
	FILING DATE	ART UNIT	
	August 28, 2003	1656	

*Examiner Initials		Document Number	Date Mm/dd/yyyy	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	PORTER et al., 1997, Expression of cell-cycle regulators p27 ^{Kip1} and cyclin E, alone and in combination, correlate with survival in young breast cancer patients," Nature Medicine 3:222 ROLFE et al., 1997, "The ubiquitin-mediated proteolytic pathway as a therapeutic area," J. Mol. Med. 75:5- 17				
	C45	RUDINGER, 1976, "Characteristics of the amino acids as components of a peptide hormone sequence," edited by J.A. Parsons, pp. 1-7, University Park Press, Baltimore			
	C46	Reprod Fertil Dev. 6(5)	:653-7	ging problems in livestock transgenesis:	•
	C47	SHEAFF et al., 1997, "	Cyclin E-CDK2	is a regulator of p27 ^{Kip1} ," Genes Dev. 11	:1464-1478
	C48			nmalian G ₁ cyclin-dependent kinases.," G	
	SHERR et al., 1999, "CDK inhibitors: positive and negative regulators of G ₁ -phase progression," Genes & Dev.13(12):1501-1512 SINGH et al., 1998, "Loss or altered subcellular localization of p27 in Barrett's associated adenocarcinoma," Cancer Research 58:1730-1735 SKOWYRA et al., 1997, "F-box proteins are receptors that recruit phosphorylated substrates to the SCP-ubiquitin-ligase complex," Cell 91:209-219				ase progression," Genes &
					associated
					ed substrates to the SCP-
	C52 SPATARO, 1998, "The ubiquitin-proteasome pathway in cancer," Br. J. Cancer 77:448-455			77:448-455	
	C53	TAN et al., 1997, "The invasive breast carcinor		itor p27 is an independent marker in smalesearch 57:1259-1263	II (T _{1a,b})
THOMAS et al., 1998, "Downregulation of p27 is associated with development of colored adenocarcinoma metastases," Am. J. Pathol. 153:681-687			of colorectal		
C55 WINSTON et al., 1999, "A family of mammalian F-box proteins," Curr. Biol. 9:1180-1182		:1180-1182			
	C56	WINSTON et al., 1999 phosphorylated destruc Genes Dev. 13:270-283	tion motifs in Ik	-ubiquitin ligase complex associates spec Bα and β-catenin and stimulates IκBα ub	cifically with viquitination in vitro,"
	C57	AF129532 (Homo sapid [Online]. Accessed on	ens chromosome March 9, 2001.	er for Biotechnology Information) GenBa e 13 F-box protein Fbl3a (FBL3A) mRNA Released from GenBank on October 31,	A, partial cds) Database
	C58	(Mus musculus leucine	rich repeat-con	er for Biotechnology Information) GenBa taining F-box protein FBL3a mRNA, par from GenBank on December 6, 1999	
	C59	YARON et al., 1998, "396:590-594	dentification of	the receptor component of the IκBα-ubic	quitin ligase," Nature
-	C60	ZACHARIAE et al., 19 Genes Dev. 13:2039-58		is destruction: cell division and the anap	phase-promoting complex,"

EXAMINER	DATE CONSIDERED			
*EVAMINED: Initial if reference considered, whether or not citation is in conformance with MDED 600: Draw line through citation if not in				

Sheet 5 of 7

		ATTY. DOCKET NO.	APPLICATION NO.
	SIPE	5914-099-999	10/652,928
LIST OF REFERENCES CITED BY APPLY	CANT 3	APPLICANT	
(Use several sheets if necessary)	FFR (18 7007 St	Chiaur et al.	
\=		FILING DATE	ART UNIT
	S. A. Carlon	August 28, 2003	1656

*Examiner Initials		Document Number	Date Mm/dd/yyyy	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
111111111	C61	ZHANG et al., 1995, "p Cell 82:915-925	19Skp1 and p4	5Skp2 are essential elements of the cyclin	
	C62	C62 BALCZON et al., 1995, "Dissociation of centrosome replication events from cycles of DNA synthesis and mitotic division in hydroxyurea-arrested Chinese hamster ovary cells," J. Cell Biol. 130(1):105-15			
	C63			p53 degradation," Biochim. Biophys.	
	C64	DAVIS et al., 2002, "Pseudosubstrate regulation of the SCF(beta-TrCP) ubiquitin ligase by hnRNP-U," Genes Dev. 16:439-51			
	DONG et al., 1997, "Control of G1 in the developing Drosophila eye: rca1 regulates Cyclin A," Genes Dev. 11(1):94-105 FONG et al., 2002, "S9, a 19 S proteasome subunit interacting with ubiquitinated NF-kappaB2/p100," J. Biol. Chem. 277(43):40697-702			egulates Cyclin A," Genes	
				nated NF-kappaB2/p100,"	
FREED et al., 1999, "Components of an SCF ubiquitin ligase localize to the centrosome and regular the centrosome duplication cycle," Genes Dev. 13:2242-57 FUCHS et al., 1999, "HOS, a human homolog of Slimb, forms an SCF complex with Skp1 and Cullin1 and targets the phosphorylation-dependent degradation of IkappaB and beta-catenin," Oncogene 18:2039-46			centrosome and regulate		
	FUKUCHI et al., 2001, "Ligand-dependent degradation of Smad3 by a ubiquitin ligase complex o ROC1 and associated proteins," Mol. Biol. Cell. 12(5):1431-43				
	C70	FURUKAWA et al, 20 nuclear accumulation, 20(21):8185-97	00, "The CUL NEDD8 modif	1 C-terminal sequence and ROC1 are refication, and ubiquitin ligase activity of	equired for efficient CUL1," Mol. Cell. Biol.
	C71			olication continues in cycloheximide-tre "J. Cell. Biol. 110(6):2033-42	ated Xenopus blastulae in
	C72	GIRARD et al., 1995, Cell. Sci. 108:2599-60		n A and B1 degradation in non-transfor	rmed mammalian cells," J.
	C73			n of human SCF(SKP2) subunit p19(Sk s," Exp. Cell. Res. 247:554-62	(P1) with interphase
HART et al., 1999, "The F-box protein beta-TrCP associates with phosphorylated beta-cate regulates its activity in the cell," Curr. Biol. 9:207-10					
	C75 HATAKEYAMA et al., 1999 "Ubiquitin-dependent degradation of IκBα is mediated by a ubiquitin ligase Skp1/Cul 1/F-box protein FWD1," Proc. Natl. Acad. Sci. 96:3859-63				
	C76	Skp1 required for ubig	uitin-mediated	issection of the interactions among Ikap proteolysis of IkappaBalpha," J. Biol.	Chem. 274: 29641-7
	C77	HSU et al., 2002, "E2I APCCdhl," Nat. Cell.		cumulation of hEmil regulates S phase	entry by inhibiting
	C78	KIPREOS et al., 2000.	"The F-box p	rotein family," Genome Biol. 2000;1(5)): 3002.17

EXAMINER	DATE CONSIDERED
*EVANDIED. Initial is a constant of the consta	- conformance with MDED 600. Draw line through citation if not in

Sheet 6 of 7

	ATTY. DOCKET NO. 5914-099-999	APPLICATION NO. 10/652,928
LIST OF REFERENCES CITED BY APPLICANT (Use several sheets if necessary)	APPLICANT Chiaur et al.	
	FILING DATE August 28, 2003	ART UNIT

*Examiner Initials		Document Number	Date Mm/dd/yyyy	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Whei Relevant Passages or Relevan Figures Appear			
	C79	KITAGAWA et al., 19 beta-catenin," EMBO	99, "An F-box J. 18(9):2401-1	protein, FWD1, mediates ubiquitin-de 0	pendent proteolysis of			
	C80	KOIKE et al., 2000, "Molecular cloning and genomic structure of the betaTRCP2 gene on						
	C81	KROLL et al., 1999, "Inducible Degradation of IB by the Proteasome Requires Interaction with the F-box Protein h-TrCP," J. Biol. Chem. 274(12):7941-5						
•	C82	LASSOT et al., 2001, "ATF4 degradation relies on a phosphorylation-dependent interaction with the SCF(betaTrCP) ubiquitin ligase," Mol. Cell. Biol. 21(6):2192-202						
	C83	MARUYAMA et al., 2 Caenorhabditis elegans		erization of a mouse gene (Fbxw6) that nomics 78(3):214-22	encodes a homologue of			
	C84	MATSUMOTO et al., 1999, "Cyclin-dependent kinase 2 (Cdk2) is required for centrosome duplication in mammalian cells," Curr. Biol. 9:429-32						
	C85	MERALDI et al., 1999, "Centrosome duplication in mammalian somatic cells requires E2F and Cdk2-cyclin A," Nat. Cell. Biol. 1:88-93						
NAKAYAMA et al., 2000, "Targeted disruption of Skp2 results in accumulation of cyclin E ar p27(Kip1), polyploidy and centrosome overduplication," EMBO J. 19(9):2069-81								
	C87	OHTA et al., 1999, "ROC1, a homolog of APC11, represents a family of cullin partners with an associated ubiquitin ligase activity," Mol. Cell. 3:535-41						
	C88	ORIAN et al., 2000, "SCF(beta)(-TrCP) ubiquitin ligase-mediated processing of NF-kappaB p105 requires phosphorylation of its C-terminus by IkappaB kinase," EMBO J. 19(11):2580-91						
	C89	OSAKA et al., 1998, "A new NEDD8-ligating system for cullin-4A," Genes Dev. 12:2263-8						
	C90	PETERS, 2002, "The anaphase-promoting complex: proteolysis in mitosis and beyond," Mol. Cell. 9:931-43						
	C91	PIVA et al., 2002, "In vivo interference with Skp1 function leads to genetic instability and neoplastic transformation," Mol. Cell. Biol. 22(23):8375-87						
	C92	PODUST et al., 2000, "A Nedd8 conjugation pathway is essential for proteolytic targeting of p27Kip1 by ubiquitination," Proc. Natl. Acad. Sci 97(9):4579-84						
	C93	READ et al, 2000, "Nedd8 modification of cul-1 activates SCF(beta(TrCP))-dependent ubiquitination of IkappaBalpha," Mol. Cell. Biol. 20(7):2326-33						
REIMANN et al., 2001, "Emil is a mitotic regulator that interacts with Cdc20 and inhibits anaphase promoting complex," Cell. 105(5):645-55		20 and inhibits the						
	C95	REIMANN et al., 2001, "Emil regulates the anaphase-promoting complex by a different mechanism						
	C96			uired for cytostatic factor arrest in vert	ebrate eggs," Nature			

EXAMINER	DATE CONSIDERED		
*EVAMPIED. Initial if u.C., and an initial in an armone with MPED 600: Draw line through citation if not in			

Sheet 7 of 7

		ATTY. DOCKET NO.	APPLICATION NO.
	TRE	5914-099-999	10/652,928
LIST OF REFERENCES CITED BY APPL	ICANT PE	APPLICANT	
(Use several sheets if necessary)	/ <u>@</u> ,	Chiaur et al.	
	FFR (8 7007	FILING DATE	ART UNIT
	The second	August 28, 2003	1656
	MACCONS		

*Examiner	Date Name of Patentee or Applicant Relevant					Columns, Lines, Where t Passages or Relevant Figures Appear	
	C97	REYNARD et al., 2000 Budding Yeast," Mol.	0, "Cks1 Is Red	quired for G1 Cyclin-Cyclin-Dependen 16):5858-64	t Kinase Activity in		
-	C98	IkappaBepsilon mediat	ted by the F-bo	thway for the ubiquitination of IkappaB x protein FWD1," J. Biol. Chem. 274(4	10):28169-74		
	C99	SPENCER et al., 1999, "Signal-induced ubiquitination of IkappaBalpha by the F-box protein Slimb/beta-TrCP," Genes Dev. 13(3):284-94					
	C100	SUZUKI et al., 1999, "IkappaBalpha ubiquitination is catalyzed by an SCF-like complex containing Skp1, cullin-1, and two F-box/WD40-repeat proteins, betaTrCP1 and betaTrCP2," Biochem. Biophys. Res. Commun. 256:127-32					
	C101	TAN et al., 1999, "Recruitment of a ROC1-CUL1 ubiquitin ligase by Skp1 and HOS to catalyze the ubiquitination of I kappa B alpha," Mol. Cell. 3:527-33					
	C102	WOJCIK et al., 2000, "The SCF ubiquitin ligase protein slimb regulates centrosome duplication in Drosophila," Curr. Biol. 10:1131-4					
	C103	Chem, 274(42):29591-4					
	C104	WU et al., 2000, "Con promote ubiquitin poly	jugation of Neo merization," J	dd8 to CUL1 enhances the ability of the Biol. Chem. 275(41):32317-24	ROC1-CUL1 complex to		
	C105	YEH et al, 2000, "Ubi	quitin-like prot	eins: new wines in new bottles," Gene	248:1-14		
	C106			ociates with the SKP1/SKP2 complex a ins," Proc. Natl. Acad. Sci. 95:11324-9			

EXAMINER	DATE CONSIDERED
----------	-----------------